

ÜRÜN ADI / PRODUCT


PF 6262 DE

TARİH / DATE

10.08.2018

DETAY RESİM
DETAIL PICTURE

SAYFA NO: 1 / 4
PAGE NO.: 1 / 4

PF 6262 DE		Dış Ölçüler	890 x 720 x 765 mm.	Outside Dim.	890 x 720 x 765 mm.
		İç Ölçüler	2 x 620 x 620 x 150 mm.	Inside Dim.	2 x 620 x 620 x 150 mm.
		Pişirme Alanı	2 x 4 ad. Ø 30 cm.	Baking Arena	2 x 4 pcs. Ø 30 cm.
		Pişirme Taşı Ölçüleri	2 x 615 x 610 x 17 mm.	Baking Stone Dim.	2 x 615 x 610 x 17 mm.
		Termostat Aralığı (°C)	85 - 455 °C (4 ad. Bağımsız)	Thermostat Interval (°C)	85 - 455 °C (4 pcs. Independent)
		Aydınlatma	2 ad. 25 W.	Illumination	2 pcs. 25 W.
		Toplam Elektrik Gücü (kW)	8 x 1,25 kW = 10 kW.	Total Power (kW)	8 x 1,25 kW = 10 kW.
		Elektrik Bes. Gerilimi (V/A)	400 V 3F+N / 3 x 27 A.	Power Supply Voltage (V/A)	400 V 3F+N / 3 x 27 A.
		Besleme Kablosu	5 x 4 H07RN-F	Power Supply Cable	5 x 4 H07RN-F
		İç Tesisat Kabloları	SIAF 2,5 mm ²	Internal Cable	SIAF 2,5 mm ²
		İzolasyon	Taş Yünü	Insulation	Rock Wool
		Ağırlık	119 kg.	Weight	119 kg.

NO.	AÇIKLAMA	DESCRIPTION	ÜRÜN NO. / ITEM NO	ADET / PCS.
1	GÖVDE	MAIN BODY	PF6262DE-01	1
2	YAN KAPAK	SIDE COVER	PF6262DE-02	2
3	ÖN PASLANMAZ ÇERÇEVE	FRONT STAINLESS FRAME	PF6262DE-03	1
4	EMAYE ÇERÇEVE	ENAMEL FRAME	PF6262DE-04	2
5	FIRIN ÖN KAPAK	OVEN FRONT COVER	PF6262DE-05	2
5A	M8 İMBUS CİVATA	M8 İMBUS PIN BOLT	PF6262DE-05A	4
5B	EMAYE KAPAK	ENAMEL COVER	PF6262DE-05B	2
5C	KAPAK İZOLASYONU	COVER ISOLATION	PF6262DE-05C	2
5D	GÖZETLEME CAMI	SIGHT GLASS	PF6262DE-05D	2
5E	PASLANMAZ KAPAK	STAINLESS COVER	PF6262DE-05E	2
5F	BAKALİT	BAKELITE	PF6262DE-05F	4
5G	ALÜMİNYUM KOL	ALUMINUM ARM	PF6262DE-05G	2
6	PİŞİRME KAZANI	COOKING BOILER	PF6262DE-06	2
7	PİŞİRME TAŞI	COOKING STONE	PF6262DE-07	2
8	BESLEME KABLOSU	FEEDING CABLE	PF6262DE-08	1
9	RAKOR	FEEDING CABLE SOCKET	PF6262DE-09	1
10	İÇ AYDINLATMA LAMBASI	INTERIOR LIGHTING LAMP	PF6262DE-10	2
10A	DUY	SOCKET	PF6262DE-10A	2
10B	AMPÜL	LAMP	PF6262DE-10B	2
10C	LAMBA CAMI	LAMP GLASS	PF6262DE-10C	2
11	ELEKTRİK MONTAJ PANOSU	ELECTRICAL MOUNTING PANEL	PF6262DE-11	1
12	PANEL	PANEL	PF6262DE-12	1
13	İÇ AYDINLATMA ANAHTARI	INTERIOR LIGHTING BUTTON	PF6262DE-13	2
14	İÇ AYDINLATMA ANAHTARI KORUMASI	INTERIOR LIGHTING BUTTON PROTECTION	PF6262DE-14	2
15	TERMOSTAT KONTROL LAMBASI	THERMOSTAT CONTROL LAMP	PF6262DE-15	4
16	TERMOSTAT DÜĞMESİ	THERMOSTAT BUTTON	PF6262DE-16	4
17	TERMOSTAT	THERMOSTAT	PF6262DE-17	4
18	REZİSTANS	RESISTANCE	PF6262DE-18	8
19	M6 KÖR SOMUN	M6 BLIND NUT	PF6262DE-19	4
20	M6 DÜZ RONDELA	M6 FLAT WASHER	PF6262DE-20	4
21	M6 YAYLI RONDELA	M6 SPRING WASHER	PF6262DE-21	4
22	M6 İMBUS CİVATA	M6 İMBUS PIN BLOT	PF6262DE-22	8
23	İZOLASYON	INSULATION	PF6262DE-23	1
24	FIRIN AYAK	OVEN FOOT	PF6262DE-24	4
25	İKİ FAZLI PAKO ŞALTER	TWO PHASE INTERRUPTION SWITCH	PF6262DE-25	2
26	TERMOMETRE (PF 6262 DE - T MODELİ İÇİN)	THERMOMETER (ONLY WITH PF 6262 DE - T)	PF6262DE-26	2



ÜRÜN ADI / PRODUCT





PF 6262 DE

TARİH / DATE

10.08.2018

**DETAY RESİM LİSTESİ
DETAIL PICTURE LIST**

SAYFA NO: 2 / 4
PAGE NO.: 2 / 4



ÜRÜN ADI / PRODUCT

PF 6262 DE


TARİH / DATE

10.08.2018

ÖLÇÜLENDİRME
MEASUREMENTS

SAYFA NO: 3 / 4
PAGE NO.: 3 / 4

PF 6262 DE PİZZA FIRINI - ELEKTRİK ŞEMASI
PF 6262 DE PIZZA OVEN - ELECTRICAL DIAGRAM



NO	AÇIKLAMA / DESCRIPTION	NO	AÇIKLAMA / DESCRIPTION
R1 ... R8	Rezistans / Resistance (1250 W)	T1 - T2 - T3 - T4	Termostat / Thermostat (85 - 455 °C)
H1 - H2 - H3 - H4	Termostat Kontrol Lambası Thermostat Control Lamp	S1 - S2	İki Fazlı Pako Şalter Two Phase Interruption Switch
H5 - H6	İç Aydınlatma Lambası Interior Lighting Lamp (25W)	S3 - S4	Aydınlatma Anahtarı Lighting Switch (T125 16A)



ÜRÜN ADI / PRODUCT

PF 6262 DE

TARİH / DATE

10.08.2018

ELEKTRİK ŞEMASI
ELECTRICAL DIAGRAM

SAYFA NO: 4 / 4
PAGE NO.: 4 / 4